L Number	Hits	Search Text	DB	Time stamp
116	845	709/200.ccls.	USPAT;	2004/06/23 17:08
117	2044	709/227.ccls.	US-PGPUB USPAT;	2004/06/23
110	1040	700/2201	US-PGPUB	17:08 2004/06/23
118	1048	709/228.ccls.	USPAT; US-PGPUB	17:09
119	735	709/221.ccls.	USPAT;	2004/06/23
_	1	20020045450.pn.	US-PGPUB USPAT;	17:09 2004/06/23
	2460		US-PGPUB	15:38 2004/06/23
_	2460	(PPP (point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	15:38
	0	link))	USPAT;	2004/06/23
_	0	(PPP (point-to-point) (point adj to adj point)) adj (link (communication adj	US-PGPUB	15:39
	_	link)) near handoff (PPP (point-to-point) (point adj to adj	USPAT;	2004/06/23
_	0	(PPP (point-to-point) (point adj to adj point)) adj (link (communication adj	US-PGPUB	15:39
	_	link)) near hand-off	USPAT;	2004/06/23
_	0	(PPP (point-to-point) (point adj to adj point)) adj (link (communication adj	US-PGPUB	15:39
	17	link)) near (hand adj off)	USPAT;	2004/06/23
_	1/	point)) adj (link (communication adj	US-PGPUB	15:54
	1	link)) with handoff) and @ad<20021127 (PPP (point-to-point) (point adj to adj	USPAT;	2004/06/23
	1	point)) adj (link (communication adj	US-PGPUB	15:44
		link)) same handoff same (context adj information)		
_	97	(PPP (point-to-point) (point adj to adj	USPAT;	2004/06/23
		point)) adj (link (communication adj link)) and handoff and ((context adj	US-PGPUB	15:46
		information) (link adj control)	·	
		(authentication) (network adj control) parameter)		
-	373	(PPP (((point-to-point) (point adj to adj	USPAT;	2004/06/23
		<pre>point)) adj (link (communication adj link)))) and handoff and ((context adj</pre>	US-PGPUB	15:51
		information) (link adj control)		
		(authentication) (network adj control) parameter (timer))		
_	373	(PPP (((point-to-point) (point adj to adj	USPAT;	2004/06/23
		<pre>point)) adj (link (communication adj link)))) and handoff and ((context adj</pre>	US-PGPUB	15:52
		information) (link adj control)		
		(authentication) (network adj control) parameter (address adj field adj		
		compression) (mru) (magic adj number) (van adj jacobson adj header adj		
		compression) (timer))		
-	358	(PPP (((point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23 15:53
		<pre>link)))) and handoff and ((context adj</pre>	00 10100	
		information) (link adj control) (authentication) (network adj control)		
		parameter ((address adj field adj		
		compression) and (mru) and (magic adj number) and (van adj jacobson adj header		
		adj compression) and (timer)))	, , , , , , , , , , , , , , , , , , ,	2004/05/22
_	29	(PPP (((point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23 15:53
		link)))) and handoff and ((context adj		
		information) ((link adj control) and (authentication) and (network adj control		
)and parameter) ((address adj field adj		
		compression) and (mru) and (magic adj number) and (van adj jacobson adj header		
		adj compression) and (timer)))		

	40	(PPP (((point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23 15:54
		<pre>link)))) and handoff and ((context adj information) ((link adj control) and</pre>		
		(authentication) and (network adj control)) ((address adj field adj compression)		
		and (mru) and (magic adj number) and		
		(van adj jacobson adj header adj		
_	87	compression) and (timer))) ((PPP (point-to-point) (point adj to adj	USPAT;	2004/06/23
		point)) adj (link (communication adj	US-PGPUB	15:54
		link)) and handoff and ((context adj information) (link adj control)		
		(authentication) (network adj control)		
_	327	parameter)) and @ad<20021127 ((PPP (((point-to-point) (point adj to	USPAT;	2004/06/23
	32,	adj point)) adj (link (communication adj	US-PGPUB	15:54
		link)))) and handoff and ((context adj		
		information) (link adj control) (authentication) (network adj control)		
	327	parameter (timer))) and @ad<20021127	110575	0004/06/00
_	327	((PPP (((point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23 15:54
		link)))) and handoff and ((context adj		
		information) (link adj control) (authentication) (network adj control)		
		parameter (address adj field adj		
		compression) (mru) (magic adj number) (van adj jacobson adj header adj		
	212	compression) (timer))) and @ad<20021127		0004405400
_	313	((PPP (((point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23
		link)))) and handoff and ((context adj		
		information) (link adj control) (authentication) (network adj control)		
		parameter ((address adj field adj		
		compression) and (mru) and (magic adj number) and (van adj jacobson adj header		
		adj compression) and (timer)))) and		
_	37	@ad<20021127 ((PPP (((point-to-point) (point adj to	USPAT;	2004/06/23
	,	adj point)) adj (link (communication adj	US-PGPUB	15:54
		<pre>link)))) and handoff and ((context adj information) ((link adj control) and</pre>		
		(authentication) and (network adj control		
		<pre>)) ((address adj field adj compression) and (mru) and (magic adj number) and</pre>		
		(van adj jacobson adj header adj		
		compression) and (timer)))) and @ad<20021127		
-	28	((PPP (((point-to-point) (point adj to	USPAT;	2004/06/23
		<pre>adj point)) adj (link (communication adj link)))) and handoff and ((context adj</pre>	US-PGPUB	16:15
		information) ((link adj control) and		
		(authentication) and (network adj control) and parameter) ((address adj field adj		
		compression) and (mru) and (magic adj		
		number) and (van adj jacobson adj header adj compression) and (timer)))) and		
		@ad<20021127		
-	17	(PPP (point-to-point) (point adj to adj point)) adj (link (communication adj	USPAT; US-PGPUB	2004/06/23
		link)) with handoff	ON FGEOD	13.37
-	1		USPAT;	2004/06/23
		<pre>point)) adj (link (communication adj link))) and handoff and (PPP adj context</pre>	US-PGPUB	16:12
		adj information)	HeDam.	2004/06/02
-	0	<pre>((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj</pre>	USPAT; US-PGPUB	2004/06/23 16:12
		link))) and handoff and (PPP adj context		
L		adj info)		

point) adj (link (communication adj link)) and handoff and (IPPP adj context adj data)					
link) and handoff and (PPP adj context adj data)	-	0	((PPP (point-to-point) (point adj to adj	USPAT;	2004/06/23
adj data (PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state context info information data parameter variable content))				US-PGPUB	16:12
point) adj (link (communication adj link)) and handoff and (new target old source) near ((access adj router)) (PSPAT; US-PGFUB) (((PFP adj link) PFP link) near (state context info information data parameter variable content)) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router)) (PSPAT) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router)) (PSNA) (access adj point))) and (((PFP adj link)) (USPAT; US-PGPUB) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) (((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) (((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) (((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) (((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) and (((PFP adj link)) and handoff and ((new target old source) near ((access adj router) (PSNA) (access adj point))) and (((PFP) (PSNA)) (access adj point))) and (((PFP) (PSNA)) (access adj point)) and ((PFP) (PSNA) (access adj point))) and (((PFP) (PSNA)) (access adj point))) and (((PFP) (PSNA)) (access adj point)) and (((PFP) (PSNA)) (access adj point))) and (((PFP) (PSNA)) (access adj point)) and (((PFP) (PSNA)) (access adj point)) and (((PFP) (PSNA)) (access adj point)) and (((PFP) (PSNA)) (acces					
point() adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point())) and mobile and (((PPP adj link) PPP link) near (state context info information data parameter variable content) (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point())) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point))) and ((access adj router) (PDSN) (access adj point())) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) (((PPP (point-to-point) (point adj to adj point))) and (and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) (PPP link) near (state context info information data parameter variable content)) and (and ((PPP adj link))) (PPP link) near (state context info information data parameter variable content)) and (and ((PPP adj link))) (PPP link) near (state context info information data parameter variable content)) and (access adj router) (PDSN) (access adj point))) and ((PPP adj link)) (PPP (PPP link) near (state context info information data parameter variable content)) and (access adj router) (PDSN) (access adj point)) and (link (communication adj link))) and handoff and ((new target old source) near (access adj router) (PDSN) (access adj point))) and (BPP) (PPP) (PPPP) (PPPP) (PPPP) (PPPP) (PPPP) (PPPPP) (PPPPP) (PPPPPPP) (PPPPPPPP		_			
Source) near ((access adj router) (PDSN) (access adj point)) and mobile and ((((PPP adj link))) and mobile and ((((PPP adj link))) and mobile and ((((PPP adj link))) and mobile and point)) adj (link) (PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (access adj router) (PDSN) (access adj point)) and (((PPP adj link)) (USPAT; USPAT)) ((PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) (PPP link) near (state context info information data parameter variable content)) and @add>20021127 (((PPP (point-to-point) (point adj to adj point))) and (access adj point))) and (((PPP adj link)) (Ink)) (PPP link) near (state context info information data parameter variable content)) and @add>20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((PPP adj link)) (PPP) (PPP) (PPP) (PPP) (PPP) and PPP) (PPP) (PPPP) (PPP) (PPPP) (PPPP) (PPPP) (PPPP) (PPPPP) (PPPPP) (PPPPPP) (PPPPPP) (PPPPPPPP	-	9	((PPP (point-to-point) (point adj to adj		1 ' '
Source) near ((access adj router) (PDSN) (access adj point)) and mobile and (((PPP adj link) PPP link) near (state context info information data parameter variable content))				US-PGPUB	16:14
(access adj point))) and mobile and (((PFP adj link) PPF link) near (state context info information data parameter variable content)) ((PFP (point-to-point) (point adj to adj point)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PFP adj link)) represented by a source) near ((access adj router) (PDSN) (access adj point)) and ((PFP adj link)) represented by a source) near ((access adj router) (PDSN) (access adj point)) and ((pfer adj link)) represented by a source) near ((access adj router) (PDSN) (access adj point)) and ((state context info information data parameter variable content)) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (PFP (PDSN) (access adj point))) and (PFP (PDSN) (access adj point)) and (PFP (PDSN) (acces					
(((PFP adj link) PFP link) near (state context info information data parameter variable content)) (((PPP (point-to-point) (point adj to adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PFP adj link)) PFP link) near (state context info information data parameter variable content)) (((PFP (point-to-point) (point adj to adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) 14 ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((PPP dp dj link)) PPP link) near (state context info information data parameter variable content)) and add<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((State context info information data parameter variable content)) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (access adj point)) and (access adj router) (PDSN) (access adj point))					
context info information data parameter variable content) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPSN))					
variable content) 9 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and (((PPP adj link)) USPAT; (USPAT) USPAT; (PPF link) near (state context info information data parameter variable content) ((PPP (point-to-point) (point adj to adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information adat parameter variable content)) ((PPP (point-to-point) (point adj to adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) ((PPP (point-to-point) (point adj to adj point)) (PPP (point-to-point) (point adj to adj point))					
Performation adj point) adj to adj point) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP adj link) PPP link) near (state context info information data parameter variable content)					
point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content) ((PPP (point-to-point) (point adj to adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) - 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) - 9 (((PPP (point-to-point)) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) and @ad20021127 ((((PPP (point-to-point) (point adj to adj point))) and content)) and ead20021127 ((((PPP (point-to-point) (point adj to adj point))) and (access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) and ead20021127 ((((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ead20021127 ((((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ead220021127 (((PPP (point-to-point))) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link)) PPP link) near (state			1	TIGD NM .	2004/06/22
link)) and handoff and ((new target old source) near ((access adj point)) and (((PPP adj link) PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) and (access adj point)) and (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) (access adj point))) and (((PPP adj link)) (access adj point))) and (((PPP adj link)) (access adj point))) and (((PPP adj link))) and (access adj point)) and ((state context info information data parameter variable content)) and (ada(20021127) (((PPP (point-to-point) (point adj to adj point))) and (access adj point)) and (state context info information data parameter variable content)) and (ada(20021127) (((PPP (point-to-point) (point adj to adj point))) and (ada(20021127) (((PPP (point-to-point) (point adj to adj point))) and (ada(20021127) (((PPP (point-to-point) (point adj to adj point))) and (access adj point)) and (state context info information data parameter variable context info information data parame	-	9			1 ' '
Source near ((access adj router) (PDSN) (access adj point)) and ((PPP adj link)				US-PGPUB	10:12
(access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) and (alink (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((PPP adj link)) PPP link) near (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) and (access adj point))) and (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) and (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) and (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point))) and (state context info information)) and @ad<20021127 (((PPP (point-to-point))) and (state context info information)) and @ad<20021127 (((PPP (point-to-point))) and (state context info information)) and @ad<20021127 (((PPP (point-to-point))) and @ad<20021127 ((PPP (point-to-point)) and woble and ((PPP adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and ((PPP adj link) PPP link) near (state					
PPP link) near (state context info information data parameter variable content) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((PPP adj link) PPP link) near (state context info information data parameter variable content)) and adds(20021127) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and (adds(20021127) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content)) and (adds(20021127) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (adds(20021127) (((PPP (point-to-point)) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and ((PDP) adj link) (PDSN) (access adj point))) and mobile and ((PDP) adj link) (PDSN) (access adj point))) and mobile and ((PDP) adj link) (PDSN) (access adj point))) and mobile and ((PDP) adj link) (PDSN) (access adj point))) and mobile and ((PDP) adj link) (PDSN) (access adj point)					
information data parameter variable content) 14 ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((state context info information data parameter variable content) 14 ((PFP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) 15 (((PFP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PFP adj link)) 16:15 (USPAT; US-PGPUB (USPAT; US-PGPUB (1:15))) and ((PFP adj link)) (USPAT; US-PGPUB (1:15)) and ((PFP adj link)) ((PSP adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((State context info information data parameter variable content)) and (ada(20021127 (((PFP (point-to-point) (point adj to adj point))) and (ada(20021127 (((PFP (point-to-point) (point adj to adj point))) and (ada(20021127 (((PFP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (ada(20021127 (((PFP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and ((PPP adj link)) near (state					
content) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (PDIN)) (access adj point))) and (((PPP adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (access adj router) (PDSN) (access adj point))) and access adj router) (PDSN) (access adj point))) and access adj router) (PDSN) (access adj point))) and bandoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and bandoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and bandoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and bandoff and ((new target old source) near ((access adj router					
14			1		
point) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and molofle and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and molofle and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and molofle and ((PPP adj link)) PPP link) near (state	_	14	, , , , , , , , , , , , , , , , , , ,	USPAT:	2004/06/23
link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((state context info information data parameter variable content)) 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) and ((PPP adj link) PPP link) near (state context info information data parameter variable content)) and (add 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) and (add 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) and (add 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad 2004/06/23 USPAT; USPGUB				1	
source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content))) and (ada(20021127) (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad			link))) and handoff and ((new target old		
(access adj point)) and ((state context info information data parameter variable content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((point)) adj (link (communication adj link))) and handoff and ((point)) adj (link (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and handoff and ((point)) adj (link) (communication adj link)) and ha					
content)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)) ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) and (add (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and (add<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (add<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (add<20021127 9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and nombile and (((PPP adj link) PPP link) near (state					
14					
point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and mobile and (((PPP adj link) PPP link) near (state)			content))		
link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))	-	14		USPAT;	2004/06/23
source) near ((access adj router) (PDSN) (access adj point))) (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and mobile and (((PPP adj link) PPP link) near (state)				US-PGPUB	16:15
(access adj point))					
9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state) 10					
point) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content)) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content)) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobbile and (((PPP adj link) PPP link) near (state)		_			1
link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	_	9	(((point to point) (point day to day		1 '
source) near ((access adj router) (PDSN) (access adj point))) and (((PPP adj link)) PPP link) near (state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and mobile and (((PPP adj link) PPP link) near (state)				US-PGPUB	16:15
(access adj point))) and (((PPP adj link) PPP link) near (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)					
PPP link) near (state context info information data parameter variable content)) and @ad<20021127 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content)) and @ad<20021127 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 9 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link)) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and ((PPP adj link) PPP link) near (state)					
information data parameter variable content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state) information data parameter variable (USPAT; US-PGPUB) 16:15 USPAT; USPA					
content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state) VSPAT;					
14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and (state context info information data parameter variable content))) and @ad<20021127 14 ((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	1				
point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source)) adj (link (communication adj link))) and handoff and ((new target old source)) near ((access adj router)) (PDSN) (access adj point))) and mobile and (((PPP adj link))) and mobile and (((PPP adj link)))) and mobile and (((PPP adj link)))	-	14		USPAT;	2004/06/23
link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	i i				1 ' ' '
<pre>(access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)</pre> USPAT; U			link))) and handoff and ((new target old		
<pre>(access adj point))) and ((state context info information data parameter variable content))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)</pre> USPAT; U			source) near ((access adj router) (PDSN)		
content)) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)			(access adj point))) and ((state context		
14 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	}				
point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 9 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)					
link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point))) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	-	14			1
source) near ((access adj router) (PDSN) (access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)	1			US-PGPUB	16:15
<pre>(access adj point)))) and @ad<20021127 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state)</pre> USPAT; US-PGPUB 16:15					
9 (((PPP (point-to-point) (point adj to adj point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state					
point)) adj (link (communication adj link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state	_	۵		IISDAT.	2004/06/22
link))) and handoff and ((new target old source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state		ا	' ' ' ' '	1	
source) near ((access adj router) (PDSN) (access adj point))) and mobile and (((PPP adj link) PPP link) near (state				00 19100	10.10
(access adj point))) and mobile and (((PPP adj link) PPP link) near (state					
(((PPP adj link) PPP link) near (state					
			context info information data parameter		
variable content))) and @ad<20021127					

BEST AVAILABLE COPY